

/etc/X11/xorg.conf von Horner Peter am Sony VAIO VGN
FE 41S - <http://horners.at>

```
# /.../  
# SaX generated X11 config file  
# Created on: 2007-05-20T22:00:59+0200.  
#  
# Version: 8.1  
# Contact: Marcus Schaefer <sax@suse.de>, 2005  
# Contact: SaX-User list <https://lists.berlios.de/mailman/listinfo/sax-users>  
#  
# Automatically generated by [ISaX] (8.1)  
# PLEASE DO NOT EDIT THIS FILE!  
#
```

Section "Files"

```
FontPath "/usr/share/fonts/misc:unscaled"  
FontPath "/usr/share/fonts/local"  
FontPath "/usr/share/fonts/75dpi:unscaled"  
FontPath "/usr/share/fonts/100dpi:unscaled"  
FontPath "/usr/share/fonts/Type1"  
FontPath "/usr/share/fonts/URW"  
FontPath "/usr/share/fonts/Speedo"  
FontPath "/usr/share/fonts/PEX"  
FontPath "/usr/share/fonts/cyrillic"  
FontPath "/usr/share/fonts/latin2/misc:unscaled"  
FontPath "/usr/share/fonts/latin2/75dpi:unscaled"  
FontPath "/usr/share/fonts/latin2/100dpi:unscaled"  
FontPath "/usr/share/fonts/latin2/Type1"  
FontPath "/usr/share/fonts/latin7/75dpi:unscaled"  
FontPath "/usr/share/fonts/baekmuk:unscaled"  
FontPath "/usr/share/fonts/japanese:unscaled"  
FontPath "/usr/share/fonts/kwintv"  
FontPath "/usr/share/fonts/truetype"  
FontPath "/usr/share/fonts/uni:unscaled"  
FontPath "/usr/share/fonts/CID"  
FontPath "/usr/share/fonts/ucs/misc:unscaled"  
FontPath "/usr/share/fonts/ucs/75dpi:unscaled"  
FontPath "/usr/share/fonts/ucs/100dpi:unscaled"  
FontPath "/usr/share/fonts/hellas/misc:unscaled"  
FontPath "/usr/share/fonts/hellas/75dpi:unscaled"  
FontPath "/usr/share/fonts/hellas/100dpi:unscaled"  
FontPath "/usr/share/fonts/hellas/Type1"  
FontPath "/usr/share/fonts/misc/sgi:unscaled"  
FontPath "/usr/share/fonts/xtest"  
FontPath "/opt/kde3/share/fonts"  
InputDevices "/dev/gpmdata"  
InputDevices "/dev/input/mice"
```

EndSection

Section "ServerFlags"

```
Option "AllowMouseOpenFail" "on"
```

EndSection

Section "Module"

```
Load "glx"  
Load "type1"  
Load "extmod"  
Load "dbe"  
Load "freetype"
```

EndSection

```
Section "InputDevice"
    Driver      "kbd"
    Identifier   "Keyboard[0]"
    Option       "Protocol" "Standard"
    Option       "XkbLayout" "de"
    Option       "XkbModel" "microsoftpro"
    Option       "XkbRules" "xfree86"
    Option       "XkbVariant" "nodeadkeys"
EndSection
```

```
Section "InputDevice"
    Driver      "mouse"
    Identifier   "Mouse[1]"
    Option       "Buttons" "5"
    Option       "Device" "/dev/input/mice"
    Option       "Name" "Logitech Optical USB Mouse"
    Option       "Protocol" "explorerps/2"
    Option       "Vendor" "Sysp"
    Option       "ZAxisMapping" "4 5"
EndSection
```

```
Section "InputDevice"
    Driver      "synaptics"
    Identifier   "Mouse[3]"
    Option       "AccelFactor" "0.01"
    Option       "BottomEdge" "650"
    Option       "CircScrollDelta" "0.1"
    Option       "CircScrollTrigger" "2"
    Option       "CircularScrolling" "1"
    Option       "Device" "/dev/input/mice"
    Option       "EdgeMotionMaxSpeed" "15"
    Option       "EdgeMotionMinSpeed" "15"
    Option       "Emulate3Buttons" "on"
    Option       "EmulateMidButtonTime" "75"
    Option       "FingerHigh" "15"
    Option       "FingerLow" "14"
    Option       "HorizScrollDelta" "20"
    Option       "LeftEdge" "120"
    Option       "MaxSpeed" "0.5"
    Option       "MaxTapMove" "110"
    Option       "MaxTapTime" "180"
    Option       "MinSpeed" "0.2"
    Option       "Name" "Touchpad"
    Option       "Protocol" "auto-dev"
    Option       "RightEdge" "830"
    Option       "SHMConfig" "on"
    Option       "TopEdge" "120"
    Option       "UpDownScrolling" "1"
    Option       "Vendor" "ALPS"
    Option       "VertScrollDelta" "20"
    Option       "ZAxisMapping" "4 5"
EndSection
```

```
Section "Monitor"
    Option       "CalcAlgorithm" "XServerPool"
    DisplaySize  339 212
    HorizSync    30-52
    Identifier    "Monitor[0]"
    ModelName     "1280X800@60HZ"
    Option        "DPMS"
    VendorName    "--> LCD"
    VertRefresh   50-60
```

```
UseModes      "Modes[0]"
Option        "DPI" "96 x 96"
EndSection
```

```
Section "Modes"
  Identifier   "Modes[0]"
EndSection
```

```
Section "Screen"
  DefaultDepth 24
  SubSection "Display"
    Depth      15
    Modes       "1280x800" "1280x768" "1024x768" "1280x600" "1024x600" "800x600"
    "768x576" "640x480"
  EndSubSection
  SubSection "Display"
    Depth      16
    Modes       "1280x800" "1280x768" "1024x768" "1280x600" "1024x600" "800x600"
    "768x576" "640x480"
  EndSubSection
  SubSection "Display"
    Depth      24
    Modes       "1280x800" "1280x768" "1024x768" "1280x600" "1024x600" "800x600"
    "768x576" "640x480"
  EndSubSection
  SubSection "Display"
    Depth      8
    Modes       "1280x800" "1280x768" "1024x768" "1280x600" "1024x600" "800x600"
    "768x576" "640x480"
  EndSubSection
  Device       "Device[0]"
  Identifier   "Screen[0]"
  Monitor      "Monitor[0]"
EndSection
```

```
Section "Device"
  BoardName    "GeForce Go 7600"
  BusID        "1:0:0"
  Driver       "nvidia"
  Identifier   "Device[0]"
  Screen       0
  VendorName   "NVIDIA"
EndSection
```

```
Section "ServerLayout"
  Identifier   "Layout[all]"
  InputDevice  "Keyboard[0]" "CoreKeyboard"
  InputDevice  "Mouse[1]" "CorePointer"
  InputDevice  "Mouse[3]" "SendCoreEvents"
  Option       "Clone" "off"
  Option       "Xinerama" "off"
  Screen       "Screen[0]"
EndSection
```

```
Section "DRI"
  Group        "video"
  Mode         0660
EndSection
```

Section "Extensions"
EndSection